



# WD-40 SPECIALIST® GEL LUBE

## PRODUCT DESCRIPTION

WD-40 Specialist Gel Lube is a unique gel lubricant that sprays on thick and won't run, drip or make a mess, our no-drip formula is powerful enough to provide 12x longer-lasting lubrication. It also prevents rust and corrosion for up to one year—creating a more productive and efficient workplace.

## APPLICATION

- Chains
- Cables
- Gears
- Rollers
- Bearings
- Moving parts
- Substrates such as metal
- Plastic and rubber

## FEATURES AND BENEFITS

- Thick, no drip, no mess, non-fling
- Stays where you spray it; perfect for vertical surfaces
- Self-healing characteristics
- Safe on metals, plastics and rubber
- Working temperature range — -73°C to 260°C



## PHYSICAL AND CHEMICAL PROPERTIES WITHOUT PROPELLANT

<b>WATER DISPLACEMENT</b>	No Corrosion
<b>4 BALL WEAR</b>	4 ball wear : 0.46mm @ -73.3°C 4 ball wear : 0.45mm @ -17.7°C 4 ball wear : 0.43mm @ 23.9°C 4 ball wear : 0.76mm @ 260°C
<b>APPEARANCE</b>	Yellowish brown liquid
<b>ODOR</b>	Characteristic Odor



H2  
REGISTERED  
#145369

## DIRECTIONS

Shake can well before use. Make sure there is a 4-6 inch distance between actuator tip and the surface to be sprayed. Apply an even coat. For best results, spray when product temperature is above 4°C.

## PACKAGING

<b>PRODUCT NAME</b>	GEL LUBE	<b>UNIT CODE</b>	35015
<b>UNIT SIZE</b>	360 mL	<b>CASE SIZE</b>	12

**NOTE:** The data contained herein are furnished for information only and are believed to be reliable. We cannot assume responsibility for the results obtained by others over whose methods we have no control. WD-40® Company specifically disclaims all warranties expressed or implied, including warranties of merchantability or fitness for a particular purpose, arising from sale or use of WD-40® Company products and disclaims any liability for consequential or incidental damages of any kind. Including lost profits.

